



## SAFETY DATA SHEET

### Complete Zero Interior Latex SG White Pastel

According to Appendix D, OSHA Hazard Communication Standard 29 CFR §1910.1200

#### 1. Identification

##### Product identifier

**Product name** Complete Zero Interior Latex SG White Pastel

**Product number** CO-3820

##### Recommended use of the chemical and restrictions on use

**Application** Paint.

**Uses advised against** No specific uses advised against are identified.

##### Details of the supplier of the safety data sheet

**Supplier** See Manufacturer

**Contact Person** Milton Arnold

**Manufacturer** LANCO & HARRIS CORP.  
600 MID FLORIDA DRIVE  
ORLANDO, FL. 32824  
407-240-4000  
www.lancopaints.com

##### Emergency telephone number

**Emergency telephone** Office 407-240-4000 9 – 5 eastern M\_F  
Chemtrec 24 Hours: 800-424-9300

#### 2. Hazard(s) identification

##### Classification of the substance or mixture

**Physical hazards** Not Classified

**Health hazards** Carc. 2 - H351

**Environmental hazards** Not Classified

##### Label elements

##### Pictogram



**Signal word** Warning

**Hazard statements** H351 Suspected of causing cancer.

## Complete Zero Interior Latex SG White Pastel

### Precautionary statements

P201 Obtain special instructions before use.  
 P202 Do not handle until all safety precautions have been read and understood.  
 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.  
 P308+P313 If exposed or concerned: Get medical advice/ attention.  
 P405 Store locked up.  
 P501 Dispose of contents/ container in accordance with national regulations.

### Contains

Titanium dioxide

### Other hazards

This product does not contain any substances classified as PBT or vPvB.

### 3. Composition/information on ingredients

#### Mixtures

<b>Titanium dioxide</b> CAS number: 13463-67-7	10-30%
<b>Classification</b> Carc. 2 - H351	
<b>Silicon dioxide</b> CAS number: 7631-86-9	1-5%
<b>Classification</b> Not Classified	
<b>Aluminum hydroxide</b> CAS number: 21645-51-2	1-5%
<b>Classification</b> Not Classified	
<b>Zirconium(IV) oxide</b> CAS number: 1314-23-4	<1%
<b>Classification</b> Not Classified	
<b>Ammonium hydroxide solution</b> CAS number: 1336-21-6 M factor (Acute) = 1	<1%
<b>Classification</b> Skin Corr. 1B - H314 Eye Dam. 1 - H318 STOT SE 3 - H335 Aquatic Acute 1 - H400	

## Complete Zero Interior Latex SG White Pastel

<b>Crystalline silica (Quartz)</b>	<b>&lt;1%</b>
CAS number: 14808-60-7	
<b>Classification</b>	
Carc. 1A - H350	
STOT RE 1 - H372	

The full text for all hazard statements is displayed in Section 16.

**Composition comments**      \* The exact percentage withheld as a trade secret in accordance with 29 CFR 1910.1200.

### 4. First-aid measures

#### Description of first aid measures

<b>General information</b>	Get medical attention if any discomfort continues. Show this Safety Data Sheet to the medical personnel.
<b>Inhalation</b>	Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Loosen tight clothing such as collar, tie or belt. Get medical attention if symptoms are severe or persist.
<b>Ingestion</b>	Rinse mouth thoroughly with water. Get medical advice/attention if you feel unwell. Do not induce vomiting unless under the direction of medical personnel.
<b>Skin Contact</b>	Rinse with water.
<b>Eye contact</b>	Remove any contact lenses and open eyelids wide apart. Rinse with water. Get medical attention if any discomfort continues.
<b>Protection of first aiders</b>	First aid personnel should wear appropriate protective equipment during any rescue.

#### Most important symptoms and effects, both acute and delayed

<b>General information</b>	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
<b>Inhalation</b>	Prolonged or repeated exposure may cause the following adverse effects: Suspected of causing cancer.
<b>Ingestion</b>	Prolonged or repeated exposure may cause the following adverse effects: Suspected of causing cancer.
<b>Skin contact</b>	Prolonged or repeated exposure may cause the following adverse effects: Suspected of causing cancer.
<b>Eye contact</b>	No specific symptoms known. May be slightly irritating to eyes.

#### Indication of immediate medical attention and special treatment needed

<b>Notes for the doctor</b>	Treat symptomatically.
-----------------------------	------------------------

### 5. Fire-fighting measures

#### Extinguishing media

<b>Suitable extinguishing media</b>	The product is not flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire.
<b>Unsuitable extinguishing media</b>	Do not use water jet as an extinguisher, as this will spread the fire.

#### Special hazards arising from the substance or mixture

<b>Specific hazards</b>	Containers can burst violently or explode when heated, due to excessive pressure build-up.
-------------------------	--

## Complete Zero Interior Latex SG White Pastel

### Hazardous combustion products

Thermal decomposition or combustion products may include the following substances:  
Harmful gases or vapors.

### Advice for firefighters

### Protective actions during firefighting

Avoid breathing fire gases or vapors. Evacuate area. Keep upwind to avoid inhalation of gases, vapors, fumes and smoke. Ventilate closed spaces before entering them. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapors and protect men stopping the leak. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities.

### Special protective equipment for firefighters

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Standard Firefighter's clothing including helmets, protective boots and gloves will provide a basic level of protection for chemical incidents.

## 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

#### Personal precautions

Wear protective clothing as described in Section 8 of this safety data sheet. No action shall be taken without appropriate training or involving any personal risk. Do not touch or walk into spilled material.

### Environmental precautions

#### Environmental precautions

Avoid discharge into drains or watercourses or onto the ground. Avoid discharge to the aquatic environment.

### Methods and material for containment and cleaning up

#### Methods for cleaning up

Wear protective clothing as described in Section 8 of this safety data sheet. Clear up spills immediately and dispose of waste safely. Small Spillages: Collect spillage. Large Spillages: Absorb spillage with non-combustible, absorbent material. The contaminated absorbent may pose the same hazard as the spilled material. Collect and place in suitable waste disposal containers and seal securely. Label the containers containing waste and contaminated materials and remove from the area as soon as possible. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage. For waste disposal, see Section 13.

### Reference to other sections

For personal protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13.

## 7. Handling and storage

### Precautions for safe handling

#### Usage precautions

Read and follow manufacturer's recommendations. Wear protective clothing as described in Section 8 of this safety data sheet. Keep away from food, drink and animal feeding stuffs. Handle all packages and containers carefully to minimize spills. Keep container tightly sealed when not in use. Avoid the formation of mists. Suspected of causing cancer. Do not handle until all safety precautions have been read and understood. Do not handle broken packages without protective equipment. Do not reuse empty containers.

### Advice on general occupational hygiene

Wash promptly if skin becomes contaminated. Take off contaminated clothing and wash before reuse. Wash contaminated clothing before reuse.

### Conditions for safe storage, including any incompatibilities

## Complete Zero Interior Latex SG White Pastel

**Storage precautions** Store away from incompatible materials (see Section 10). Store locked up. Keep only in the original container. Keep container tightly closed, in a cool, well ventilated place. Keep containers upright. Protect containers from damage.

**Storage class** Chemical storage.

**Specific end uses(s)**

**Specific end use(s)** The identified uses for this product are detailed in Section 1.

### 8. Exposure Controls/personal protection

**Control parameters**

**Occupational exposure limits**

**Titanium dioxide**

Long-term exposure limit (8-hour TWA): ACGIH 10 mg/m<sup>3</sup>

A4

Long-term exposure limit (8-hour TWA): OSHA 15 mg/m<sup>3</sup> total dust

**Silicon dioxide**

Long-term exposure limit (8-hour TWA): OSHA 0.8 mg/m<sup>3</sup>

**Aluminum hydroxide**

Long-term exposure limit (8-hour TWA): ACGIH 1 mg/m<sup>3</sup> respirable fraction

**Zirconium(IV) oxide**

Long-term exposure limit (8-hour TWA): OSHA 5 mg/m<sup>3</sup>

Long-term exposure limit (8-hour TWA): ACGIH Threshold Limit Values (TLV) 5 mg/m<sup>3</sup>

Short-term exposure limit (15-minute): ACGIH 10 mg/m<sup>3</sup>

**Ammonium hydroxide solution**

Short-term exposure limit (15-minute): OSHA 35 ppm 27 mg/m<sup>3</sup>

Long-term exposure limit (8-hour TWA): ACGIH 25 ppm 18 mg/m<sup>3</sup>

Short-term exposure limit (15-minute): ACGIH 35 ppm 27 mg/m<sup>3</sup>

**Crystalline silica (Quartz)**

Long-term exposure limit (8-hour TWA): ACGIH 0.025 mg/m<sup>3</sup> respirable fraction

A2

ACGIH = American Conference of Governmental Industrial Hygienists.

OSHA = Occupational Safety and Health Administration.

A4 = Not Classifiable as a Human Carcinogen.

A2 = Suspected Human Carcinogen.

**Titanium dioxide (CAS: 13463-67-7)**

**Immediate danger to life and health** 5000 mg/m<sup>3</sup>

**Silicon dioxide (CAS: 7631-86-9)**

**Immediate danger to life and health** 3000 mg/m<sup>3</sup>

**Crystalline silica (Quartz) (CAS: 14808-60-7)**

**Immediate danger to life and health** 50 mg/m<sup>3</sup> 25 mg/m<sup>3</sup>

**Exposure controls**

## Complete Zero Interior Latex SG White Pastel

### Protective equipment



#### Appropriate engineering controls

Provide adequate general and local exhaust ventilation. Ensure the ventilation system is regularly maintained and tested. Good general ventilation should be adequate to control worker exposure to airborne contaminants. Observe any occupational exposure limits for the product or ingredients.

#### Eye/face protection

Unless the assessment indicates a higher degree of protection is required, the following protection should be worn: Tight-fitting safety glasses.

#### Hand protection

No specific hand protection recommended.

#### Other skin and body protection

Wear appropriate clothing to prevent repeated or prolonged skin contact.

#### Hygiene measures

Wash after use and before eating, smoking and using the toilet. Do not eat, drink or smoke when using this product.

#### Respiratory protection

Ensure all respiratory protective equipment is suitable for its intended use and is NIOSH approved. Check that the respirator fits tightly and the filter is changed regularly. Gas and combination filter cartridges should comply with OSHA 1910.134. Full face mask respirators with replaceable filter cartridges should comply with OSHA 1910.134. Half mask and quarter mask respirators with replaceable filter cartridges should comply with OSHA 1910.134.

#### Environmental exposure controls

Keep container tightly sealed when not in use. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

## 9. Physical and Chemical Properties

### Information on basic physical and chemical properties

Appearance	Liquid.
Color	Various colors.
Odor	Mild.
Odor threshold	Not available.
pH	pH (concentrated solution): 9.0 - 9.7
Melting point	Not available.
Initial boiling point and range	Not available.
Flash point	Not applicable.
Evaporation rate	Not available.
Upper/lower flammability or explosive limits	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Lighter than air.
Solubility(ies)	Soluble in water.

## Complete Zero Interior Latex SG White Pastel

<b>Partition coefficient</b>	Not available.
<b>Auto-ignition temperature</b>	Not available.
<b>Decomposition Temperature</b>	Not available.
<b>Viscosity</b>	Not available.
<b>Specific Gravity (H<sub>2</sub>O = 1)</b>	1.245
<b>Explosive properties</b>	Not applicable.
<b>Oxidizing properties</b>	Not available.
<b>Coating v.o.c.</b>	0 g/l
<b>Material v.o.c.</b>	0 g/l

### 10. Stability and reactivity

<b>Reactivity</b>	See the other subsections of this section for further details.
<b>Stability</b>	Stable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.
<b>Possibility of hazardous reactions</b>	No potentially hazardous reactions known.
<b>Conditions to avoid</b>	There are no known conditions that are likely to result in a hazardous situation.
<b>Materials to avoid</b>	No specific material or group of materials is likely to react with the product to produce a hazardous situation.
<b>Hazardous decomposition products</b>	Does not decompose when used and stored as recommended. Thermal decomposition or combustion products may include the following substances: Harmful gases or vapors.

### 11. Toxicological information

#### Information on toxicological effects

##### Acute toxicity - oral

**Notes (oral LD<sub>50</sub>)** Based on available data the classification criteria are not met.

##### Acute toxicity - dermal

**Notes (dermal LD<sub>50</sub>)** Based on available data the classification criteria are not met.

##### Acute toxicity - inhalation

**Notes (inhalation LC<sub>50</sub>)** Based on available data the classification criteria are not met.

##### Skin corrosion/irritation

**Animal data** Based on available data the classification criteria are not met.

##### Serious eye damage/irritation

**Serious eye damage/irritation** Based on available data the classification criteria are not met.

##### Respiratory sensitization

**Respiratory sensitization** Based on available data the classification criteria are not met.

##### Skin sensitization

**Skin sensitization** Based on available data the classification criteria are not met.

## Complete Zero Interior Latex SG White Pastel

### Germ cell mutagenicity

**Genotoxicity - in vitro** Based on available data the classification criteria are not met.

### Carcinogenicity

**Carcinogenicity** Suspected of causing cancer.

**IARC carcinogenicity** Contains a substance/a group of substances which may cause cancer. IARC Group 1  
Carcinogenic to humans.

### Reproductive toxicity

**Reproductive toxicity - fertility** Based on available data the classification criteria are not met.

**Reproductive toxicity - development** Based on available data the classification criteria are not met.

### Specific target organ toxicity - single exposure

**STOT - single exposure** Not classified as a specific target organ toxicant after a single exposure.

### Specific target organ toxicity - repeated exposure

**STOT - repeated exposure** Not classified as a specific target organ toxicant after repeated exposure.

### Aspiration hazard

**Aspiration hazard** Based on available data the classification criteria are not met.

**General information** May cause cancer after repeated exposure. Risk of cancer depends on duration and level of exposure. The severity of the symptoms described will vary dependent on the concentration and the length of exposure.

**Inhalation** No specific symptoms known.

**Ingestion** No specific symptoms known.

**Skin Contact** No specific symptoms known.

**Eye contact** No specific symptoms known.

**Route of exposure** Ingestion Inhalation Skin and/or eye contact

**Target Organs** No specific target organs known.

## 12. Ecological Information

**Ecotoxicity** Not regarded as dangerous for the environment. However, large or frequent spills may have hazardous effects on the environment.

**Toxicity** Based on available data the classification criteria are not met.

### Persistence and degradability

**Persistence and degradability** The degradability of the product is not known.

### Bioaccumulative potential

**Bio-Accumulative Potential** No data available on bioaccumulation.

**Partition coefficient** Not available.

### Mobility in soil

**Mobility** No data available.

### Other adverse effects



## Complete Zero Interior Latex SG White Pastel

**Other adverse effects** None known.

### 13. Disposal considerations

#### Waste treatment methods

##### **General information**

The generation of waste should be minimized or avoided wherever possible. Reuse or recycle products wherever possible. This material and its container must be disposed of in a safe way. When handling waste, the safety precautions applying to handling of the product should be considered. Care should be taken when handling emptied containers that have not been thoroughly cleaned or rinsed out. Empty containers or liners may retain some product residues and hence be potentially hazardous.

##### **Disposal methods**

Do not empty into drains. Dispose of surplus products and those that cannot be recycled via a licensed waste disposal contractor. Waste, residues, empty containers, discarded work clothes and contaminated cleaning materials should be collected in designated containers, labeled with their contents. Incineration or landfill should only be considered when recycling is not feasible.

### 14. Transport information

##### **General**

The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, DOT).

##### **UN Number**

Not applicable.

##### **UN proper shipping name**

Not applicable.

##### **Transport hazard class(es)**

Not regulated.

##### **Environmental hazards**

##### **Environmentally Hazardous Substance**

No.

##### **Special precautions for user**

Not applicable.

### 15. Regulatory information

#### **US Federal Regulations**

##### **SARA Section 302 Extremely Hazardous Substances Tier II Threshold Planning Quantities**

None of the ingredients are listed or exempt.

##### **CERCLA/Superfund, Hazardous Substances/Reportable Quantities (EPA)**

The following ingredients are listed or exempt:

*Ammonium hydroxide solution*

Final CERCLA RQ: 1000(454) pounds (Kilograms)

##### **SARA Extremely Hazardous Substances EPCRA Reportable Quantities**

None of the ingredients are listed or exempt.

##### **SARA 313 Emission Reporting**

The following ingredients are listed or exempt:

## Complete Zero Interior Latex SG White Pastel

*Ammonium hydroxide solution*

1.0 %

### CAA Accidental Release Prevention

None of the ingredients are listed or exempt.

### FDA - Essential Chemical

None of the ingredients are listed or exempt.

### FDA - Precursor Chemical

None of the ingredients are listed or exempt.

### SARA (311/312) Hazard Categories

None of the ingredients are listed or exempt.

### OSHA Highly Hazardous Chemicals

None of the ingredients are listed or exempt.

### US State Regulations

#### California Proposition 65 Carcinogens and Reproductive Toxins

The following ingredients are listed or exempt:

*Dibromoacetone*

Known to the State of California to cause cancer.

*Titanium dioxide*

Known to the State of California to cause cancer.

*Silicon dioxide*

Known to the State of California to cause cancer.

#### California Air Toxics "Hot Spots" (A-I)

The following ingredients are listed or exempt:

*Silicon dioxide*

#### California Air Toxics "Hot Spots" (A-II)

None of the ingredients are listed or exempt.

#### California Directors List of Hazardous Substances

The following ingredients are listed or exempt:

*Ammonium hydroxide solution*

*Silicon dioxide*

#### Massachusetts "Right To Know" List

The following ingredients are listed or exempt:

*Crystalline silica (Quartz)*

*Ammonium hydroxide solution*

*Titanium dioxide*

*Silicon dioxide*

*Zirconium(IV) oxide*

#### Rhode Island "Right To Know" List

The following ingredients are listed or exempt:

*Crystalline silica (Quartz)*

## Complete Zero Interior Latex SG White Pastel

*Titanium dioxide*

### Minnesota "Right To Know" List

The following ingredients are listed or exempt:

*Crystalline silica (Quartz)*

*Titanium dioxide*

*Silicon dioxide*

### New Jersey "Right To Know" List

The following ingredients are listed or exempt:

*2,2-dibromo-2-cyanoacetamide*

*Crystalline silica (Quartz)*

*Ammonium hydroxide solution*

*Titanium dioxide*

### Pennsylvania "Right To Know" List

The following ingredients are listed or exempt:

*Crystalline silica (Quartz)*

*Ammonium hydroxide solution*

*Titanium dioxide*

*Silicon dioxide*

### Inventories

#### US - TSCA

All the ingredients are listed or exempt.

#### US - TSCA 12(b) Export Notification

The following ingredients are listed or exempt:

*2-methylisothiazol-3(2H)-one*

### 16. Other information

#### Classification abbreviations and acronyms

Carc. = Carcinogenicity

#### Training advice

Only trained personnel should use this material.

#### Revision comments

This is first issue.

#### Issued by

Milton Arnold

#### Revision date

9/7/2017

#### Revision

1

#### SDS No.

5043

#### SDS status

Approved.

## Complete Zero Interior Latex SG White Pastel

**Hazard statements in full**

H314 Causes severe skin burns and eye damage.  
H318 Causes serious eye damage.  
H335 May cause respiratory irritation.  
H350 May cause cancer.  
H351 Suspected of causing cancer.  
H372 Causes damage to organs (Lungs) through prolonged or repeated exposure.  
H400 Very toxic to aquatic life.

**End of SDS**

XXX

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.